

Welcome United States Patent and Trademark Office

Search Session History

BROWSE

Wed, 28 Sep 2005, 1:01:20 PM EST

Search Query Display

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Rece	nt Search Queries	Results
#1.	(hill <in>au) and drill and well</in>	24
#2	(hill <in>au) and drill and well and fatigue</in>	
<u>#3</u>	drill and (pipe or bit or rig) and (well or wellbore) and fatigue	103
#4	drill <sentence>(pipe or bit or rig) and wellbore and fatigue</sentence>	0
<u>#5</u>	(drill pipe? or drill bit? or drill rig*) and wellbore and fatigue	0
<u>#6</u>	drill and pipe and wellbore and fatigue	0
<u>#7</u>	(drill and pipe and (wellbore or well) and fatigue <in>metadata)</in>	0
#8	drill* and well* and fatigue	261
<u>#9</u>	(drill* and well* and fatigue and bit <in>metadata)</in>	2





Help Contact Us Privacy & Security IEEE.org
© Copyright 2005 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

e-mail 🚔 printer trienchy

Results for "(hill<in>au) and drill and well and fatigue"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEE JNL

IEE CNF

Check to search only within this results set

IEEE Journal or IEEE JNL

Magazine

IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(hill<in>au) and drill and well and fatigue

Display Format:

 Citation C Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

indexed by # Inspec Help Contact Us Privacy & Security IEEE.org

 Σ

© Copyright 2005 IEEE - All Rights Reserved



Welcome United States Patent and Trademark Office

Search I	₹esu	lts
----------	------	-----

BROWSE

SEARCH

IEEE XPLORE GUIDE

 Σ

SUPPORT

🖸 e-mail 🚐 printer friendly

Results for	"(drill"	and well"	and fatigue	and bit <in:< th=""><th>>metadata)''</th></in:<>	>metadata)''

Your search matched 2 of 1239820 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

HEEE JNE

IEEE Journal or Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IEE CNF

IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(drill* and well* and fatigue and bit<in>metadata)

Check to search'only within this results set

Display Format:

Citation C Citation & Abstract

Select Article Information

> The SOP for miniaturized, mixed-signal computing, communication, and consumer systems of the next decade

Tummala, R.R.; Swaminathan, M.; Tentzeris, M.M.; Laskar, J.; Gee-Kung Chang; Sitaraman, S.; Keezer, D.; Guidotti, D.; Zhaoran Huang; Kyutae Lim; Lixi Wan; Bhattacharya, S.K.; Sundaram,

V.; Fuhan Liu; Raj, P.M.;

Advanced Packaging, IEEE Transactions on [see also Components, Packaging and Manufacturing Technology, Part B: Advanced Packaging, IEEE Transactions on]

Volume 27, Issue 2, May 2004 Page(s):250 - 267 Digital Object Identifier 10.1109/TADVP.2004.830353

AbstractPlus | References | Full Text: PDF(1536 KB) | IEEE JNL

2. The Ocean Drilling Program IV: Deep water coring technology-Past, present, and future

Huey, D.; Storms, M.;

OCEANS

Volume 17, Nov 1985 Page(s):146 - 159

AbstractPlus | Full Text: PDF(1096 KB) | IEEE CNF

Help Contact Us Privacy & Security IEEE.org

@ Copyright 2005 IEEE - All Rights Reserved





Welcome United States Patent and Trademark Office

Search Session History

BROWSE

Edit an existing query or compose a new query in the

Search Query Display.

Select a search number (#)

- . Add a query to the Search Query Display
- . Combine search queries using AND, OR, or NOT
- · Delete a search
- · Run a search

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Wed, 28 Sep 2005, 1:18:42 PM EST

Search Query Display

Recent Search Queries

Results

(((drillstring? or drill string?) and fatigue)<in>metadata) <u>#1</u>

0

Help Contact Us Privacy & Security IEEE.org

© Copyright 2005 IEEE - All Rights Reserved

indexed by #Inspec



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

☑e-mail 🚐 printer friendly

Results for "(((drillstring? or drill string?) and fatigue)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL

Check to search only within this results set

IEEE Journal or

Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF **IEEE Conference**

Proceeding

IEE Conference IEE CNF

Proceeding

IEEE STD IEEE Standard

Modify Search

(((drillstring? or drill string?) and fatigue)<in>metadata)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

search.

Indexed by #Inspec Help Contact Us Privacy & Security IEEE.org

 Σ

© Copyright 2005 IEEE - All Rights Reserved

Dial®g DataStar options logoff feedback help





databases

Advanced Search: INSPEC - 1969 to date (INZZ)



Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	(drillstring OR drill ADJ string) AND fatigue	unrestricted	1	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips Thesaurus mapping	
whole document	
Information added since: or: none (YYYYMMDD)	search

Select special search terms from the following list(s):

- Publication year
- Classification codes A: Physics, 0-1
- Classification codes A: Physics, 2-3
- Classification codes A: Physics, 4-5
- Classification codes A: Physics, 6
- Classification codes A: Physics, 7
- Classification codes A: Physics, 8
- Classification codes A: Physics, 9
- Classification codes B: Electrical & Electronics, 0-5
- Classification codes B: Electrical & Electronics, 6-9
- Classification codes C: Computer & Control
- Classification codes D: Information Technology
- Classification codes E: Manufacturing & Production
- Treatment codes
- INSPEC sub-file
- Language of publication





Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of of the page. To view one particular document click the link above the title to display immediately.

Documents 1 to 1 of 1 from your search "(drillstring OR drill ADJ string) AND fatigue" in all the available information: Number of titles selected from other pages: 0

1 display full document

2004. (INZZ) High nitrogen alloyed steels for nonmagnetic **drill** collars. Standard steel grades and latest developments.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving	Action
from this page from all pages	FullFreeShortMediumCustomHelp withFormats	HTMLTagged (for tables)PDFRTF	Copies you will redistribute: Employees who will access archived record (s): Help with ERA	display
	Sort your	entire search	result by Publication year Ascending	sort

Top - News & FAQS - Dialog

© 2005 Dialog







search





Advanced Search: INSPEC - 1969 to date (INZZ)

Timit.

Search history:

No.	Database	Search term	Info added since	Results	
1		drill AND (pipe OR bit OR rig) AND (well OR wellbore) AND fatigue	unrestricted	1	show titles

whole document

Thesaurus mapping

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips

Information added since: or: none (YYYYMMDD)
Coloct chocial coarsh towns from the following light(s).
Select special search terms from the following list(s): Publication year
Classification codes A: Physics, 0-1
Classification codes A: Physics, 2-3
Classification codes A: Physics, 4-5
Classification codes A: Physics, 6
Classification codes A: Physics, 7
Classification codes A: Physics, 8
Classification codes A: Physics, 9
Classification codes B: Electrical & Electronics, 0-5
Classification codes B: Electrical & Electronics, 6-9
Classification codes C: Computer & Control
Classification codes D: Information Technology
Classification codes E: Manufacturing & Production
Treatment codes
INSPEC sub-file

Language of publication

	DataS	tar		CONTRACTOR OF THE PROPERTY OF
options	logoff	feedback	help	





Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of of the page. To view one particular document click the link above the title to display immediately.

Documents 1 to 1 of 1 from your search "drill AND (pipe OR bit OR rig) AND (well OR wellbore) AND fatigue" in all the available information:

Number of titles selected from other pages: 0

1 display full document

2004. (INZZ) Techniques to characterize fatigue behaviour of full size drill pipes and small scale samples.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving	Action
from this page from all pages	Full Free Short Medium Custom Help with Formats	Tagged (for tables) PDF RTF	Copies you will redistribute: Employees who will access archived record (s): Help with ERA	fispley
	Sort you	r entire search	result by Publication year Ascending	377

Top - News & FAQS - Dialog

© 2005 Dialog



databasas





Document

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.

locally as:	PDF document	search	strategy:	do not include the search strategy	_

USP TO Full Text Retrieval Options

document 1 of 1 Order Document

INSPEC - 1969 to date (INZZ)

Accession number & update

8130357, A2004-22-8140N-044; 20041010.

Title

Techniques to characterize **fatigue** behaviour of full size **drill** pipes and small scale samples.

Author(s)

<u>Miscow-G-F</u>; <u>de-Miranda-P-E-V</u>; <u>Netto-T-A</u>; <u>Placido-J-C-R</u>.

Author affiliation

COPPE/UFRJ, Rio de Janeiro, Brazil.

Source

International-Journal-of-Fatigue (UK), vol.26, no.6, p.575-84, 2004., Published: Elsevier.

CODEN

IJFADB.

ISSN

ISSN: 0142-1123, CCCC: 0142-1123/04/ (\$30.00).

Availability

SICI: 0142-1123(2004)26:6L.575:TCFB; 1-Z.

Publication year

2004.

Language

ΕÑ.

Publication type

J Journal Paper.

Treatment codes

X Experimental.

Abstract

Drill pipe fatigue damage occurs under cyclic loading conditions due to, for instance, rotation in curved sections of an oil **well**. Failures caused by crack nucleation and propagation are one of the highest risks to the structural integrity of these pipes. Usually, failure mechanisms develop in the transition region of the tool joint. A **fatigue** simulator was designed and built to test full-scale **drill** pipes under rotating cyclic bending and constant tension loading. Additionally, the fundamental **fatigue** mechanisms were investigated via laboratory tests in small-scale samples. These tests were conducted in an opto-mechanical **fatigue** apparatus that was designed to perform in-situ real time monitoring surface analysis during the experiments, by using differential interference contrast (DIC). Scanning electron microscopy fractography of fatigued samples was also performed. The **fatigue-life** curve was obtained for the **drill pipe** API S-135 grade steel from small scale tests. The full size **drill pipe** test results are coherent with the expected, validating

the experimental procedures. (26 refs).

Descriptors

bending; failure-mechanical; fatigue-cracks; fractography; scanning-electron-microscopy; steel.

Keywords

fatigue behaviour; drill pipes; drill pipe fatigue damage; failure mechanism; crack nucleation; crack propagation; fatigue simulator; rotating cyclic bending; tension loading; opto mechanical fatigue apparatus; in situ real time monitoring surface analysis; differential interference contrast; Scanning electron microscopy fractography; fatigue life curve; API S 135 grade steel.

Classification codes

A8140N	(Fatigue, embrittlement, and fracture).
A8140L	(Deformation, plasticity and creep).
A6220F	(Deformation and plasticity).
A6220M	(Fatigue, brittleness, fracture, and cracks).
A8170	(Materials testing).

Chemical indexing

Fe ss, C ss.


Copyright statement

Copyright 2004, IEE.

Digital object identifier

http://dx.doi.org/10.1016/j.ijfatigue.2003.10.014.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK



Top - News & FAQS - Dialog

© **2005** Dialog



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

drill and (pipe or rig or bit) and (well or wellbore) or fatigue



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>drill</u> and <u>pipe</u> or <u>rig</u> or <u>bit</u> and <u>well</u> or <u>wellbore</u> or <u>fatigue</u>

Found 2,552 of 161,645

Sort results by

Display

results

relevance =

Save results to a Binder

Search Tips

Open results in a new

window

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown Relevance scale 🗆 📟 📟

1 Microcomputer technology for drilling

Henry D. Shapiro, B. V. Randall

October 1986 Proceedings of the 1986 workshop on Applied computing

Full text available: pdf(824.77 KB) Additional Information: full citation, abstract, references, index terms

Drilling costs are a significant portion of exploration and production budgets. For this reason, the use of complex mathematical models to optimize drilling operations began in the early 1950s, at roughly the same time as the introduction of the first commercially available digital computer. Twenty years of development and field testing resulted in the release of sophisticated drilling optimization programs to the oil industry in 1971. Despite being tied to large mainframe computers, by 197 ...

Risks to the public: Risks to the public in computers and related systems Peter G. Neumann

May 2002 ACM SIGSOFT Software Engineering Notes, Volume 27 Issue 3

Full text available: pdf(1.92 MB) Additional Information: full citation

Special section: Reasoning about structure, behavior and function B. Chandrasekaran, Rob Milne

July 1985 ACM SIGART Bulletin, Issue 93

Full text available: available: Additional Information: full citation, abstract, references

The last several years' of work in the area of knowledge-based systems has resulted in a deeper understanding of the potentials of the current generation of ideas, but more importantly, also about their limitations and the need for research both in a broader framework as well as in new directions. The following ideas seem to us to be worthy of note in this connection.

Session N1: Future trends in oil and gas visualization Francine Evans, William Volz, Geoffrey Dorn, Bernd Fröhlich, David M Roberts October 2002 Proceedings of the conference on Visualization '02

Full text available: pdf(35.45 KB) Additional Information: full citation, abstract

The question that this panel wishes to explore is: What are the future visualization trends and requirements for the oil and gas industry to efficiently handle and explore the ever-

increasing volume and variety of available data?It has been proven many times that 3D visualization helps to reduce the risk in the search for, and development of, oil and gas resources and has been generally acknowledged to be an indispensable technology for the oil and gas industry. The role of the geoscientist is t ...

5 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Full text available: pdf(4.21 M8)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

6 Data security and protection: Rights protection for relational data

Radu Sion, Mikhail Atallah, Sunil Prabhakar

June 2003 Proceedings of the 2003 ACM SIGMOD international conference on Management of data

Full text available: pdf(229.76 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

Protecting rights over relational data is of ever increasing interest, especially considering areas where sensitive, valuable content is to be outsourced. A good example is a data mining application, where data is sold in pieces to parties specialized in mining it.Different avenues for rights protection are available, each with its own advantages and drawbacks. Enforcement by legal means is usually ineffective in preventing theft of copyrighted works, unless augmented by a digital counter ...

7 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse

December 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 4

Full text available: pdf(5.49 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

8 A computer science perspective of bridge design

Alfred Spector, David Gifford

April 1986 Communications of the ACM, Volume 29 Issue 4

Full text available: pdf(3.51 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

What kinds of lessons does a classical engineering discipline like bridge design have for an emerging engineering discipline like computer systems design? Case-study editors Alfred Spector and David Gifford consider the insight and experience of bridge designer Gerard Fox to find out how strong the parallels are.

9 Operating system benchmarking in the wake of Imbench: a case study of the

narformanca	of NatRSD	on the Intel	x86 architecture
venumance	OF MATERIAN	OH THE ILLE	XOO architecture

Aaron B. Brown, Margo I. Seltzer

June 1997 ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 1997 ACM SIGMETRICS international conference on Measurement and modeling of computer systems, Volume 25 Issue 1

Full text available: pdf(1.98 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The *Imbench* suite of operating system microbenchmarks provides a set of portable programs for use in cross-platform comparisons. We have augmented the *Imbench* suite to increase its flexibility and precision, and to improve its methodological and statistical operation. This enables the detailed study of interactions between the operating system and the hardware architecture. We describe modifications to *Imbench*, and then use our new benchmark suite, *hbench:OS*, to exami ...

10 Interactive system for controlled vocabulary maintenance Dave W. Wattenbarger, John A. Bailey, Samuel J. Martinez January 1977 Proceedings of the 1977 annual conference

Full text available: pdf(603,39 KB) Additional Information: full citation, abstract, references, index terms

Bibliographic retrieval files frequently are indexed using words or phrases from a controlled vocabulary list. Usually these lists are structured to show relationships between terms, and strict rules are established to define permissible structuring. Because, with a large vocabulary it is humanly impossible to remember all of the many concepts involved, a printed list is required to define the different terms with their corresponding relationships. Computer processing is ideally suited for ...

Distributed shared memory in a loosely coupled distributed system.
B. D. Fleisch

August 1987 ACM SIGCOMM Computer Communication Review , Proceedings of the ACM workshop on Frontiers in computer communications technology, Volume 17 Issue 5

Full text available: gdf(1.32 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This work outlines the development and performance validation of an architecture for distributed shared memory in a loosely coupled distributed computing environment. This distributed shared memory may be used for communication and data exchange between communicants on different computing sites; the mechanism will operate transparently and in a distributed manner. This paper describes the architecture of this mechanism and metrics which will be used to measure its performan ...

12 An architecture for pup services on a distributed operating system
Brett D. Fleisch

January 1981 ACM SIGOPS Operating Systems Review, Volume 15 Issue 1

Full text available: pdf(1.09 MB) Additional Information: full citation, abstract, references

At the University of Rochester the computer science department has had six years of experience in the design and implementation of a multiple-machine, multiple network distributed system called RIG. Rochester's Intelligent Gateway (RIG) [1,2,3] is a dual processor gateway which connects three computer networks to provide convenient access to a wide range of computer facilities. RIG was built to serve as an intermediary between the human user (working through a display terminal or personal comput ...

Workshop on compositional software architectures: workshop report May 1998 ACM SIGSOFT Software Engineering Notes, Volume 23 Issue 3

Tall toxt dvallable.	Additional Information: full citation, index terms	
14 The Alpha demonstration uni Charles P. Thacker, David G. Co February 1993 Communication		
Full text available: pdf(6.26 MB)	Additional Information: <u>full citation</u> , <u>references</u> , <u>citings</u> , <u>index terms</u> , <u>review</u>	
Keywords: Alpha AXP chip		
15 <u>Dissertation Abstracts in Con</u> January 1992 ACM SIGGRAPH	nputer Graphics Computer Graphics, Volume 26 Issue 1	
Full text available: pdf(2.53 MB)	Additional Information: <u>full citation</u>	
<u>processes</u> Julio C. Martinez, Photios G. Ioa	anning approach in the modeling of complex construction Innou The 27th conference on Winter simulation	
_	Additional Information: <u>full citation</u> , <u>references</u> , <u>citings</u> , <u>index terms</u>	
17 Education: the unfinished rev Andries van Dam December 1999 ACM Computin		
	Additional Information: <u>full citation</u> , <u>index terms</u>	
Full text available: pdf(492.71 KB) 18 Local Microcode Compaction David Landskov, Scott Davidson	Additional Information: <u>full citation</u> , <u>index terms</u>	
Full text available: pdf(492.71 KB) 18 Local Microcode Compaction David Landskov, Scott Davidson	Additional Information: <u>full citation</u> , <u>index terms</u> <u>Techniques</u> , Bruce Shriver, Patrick W. Mallett	
18 Local Microcode Compaction David Landskov, Scott Davidson September 1980 ACM Computin Full text available: pdf(2.83 MB) 19 Application-specific microelect P. Windirsch, HJ. Herpel, A. La	Additional Information: full citation, index terms Techniques , Bruce Shriver, Patrick W. Mallett ing Surveys (CSUR), Volume 12 Issue 3 Additional Information: full citation, references, citings, index terms etronics for mechatronic systems	
18 Local Microcode Compaction David Landskov, Scott Davidson September 1980 ACM Computin Full text available: pdf(2.83 MB) 19 Application-specific microelect P. Windirsch, HJ. Herpel, A. La November 1992 Proceedings of	Additional Information: full citation, index terms Techniques , Bruce Shriver, Patrick W. Mallett ig Surveys (CSUR), Volume 12 Issue 3 Additional Information: full citation, references, citings, index terms ctronics for mechatronic systems udenbach, M. Glesner	
18 Local Microcode Compaction David Landskov, Scott Davidson September 1980 ACM Computin Full text available: pdf(2.83 MB) 19 Application-specific microelect P. Windirsch, HJ. Herpel, A. La November 1992 Proceedings of Full text available: pdf(662.21 KB) 20 Virtual terminal management Keith A. Lantz, Richard F. Rashic	Techniques J., Bruce Shriver, Patrick W. Mallett J. Bruce Shriver, P	

Rochester's Intelligent Gateway provides its users with the facilities for communicating simultaneously with a large number of processes spread out among various computer systems. We have adopted the philosophy that the user should be able to manage any number of concurrent tasks or jobs, viewing their output on his display device as he desires. To achieve this goal the Virtual Terminal Management System (VTMS) converts a single physical terminal into multiple virtual terminals

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Real Player

A SEVER	CLENCE DIRECT Register or Login: user name Password:	Go Athens/I	institution <u>Login</u>
Home	Search Journals Books Abstract Databases My Profile Alerts		Help
Quick Sea	within All Full-text Sources Go Search Tips	re	sults 1 - 6
6 Arti	icles Found		
pub-date	e > 1989 and drill pipe and wellbore and fatigue		
Edit Sea	rch Save Search Save as Search Alert	Search Wit	hin Results
Article	L ist Partial Abstracts Full Abstracts		
t (qi	splay checked docs [e-mail articles] (export citations)	Sort By: Date	▼ Go
1.	Finite element dynamic analysis of drillstrings • ARTICLE Finite Elements in Analysis and Design, Volume 41, Issue 13, July 2005, Pages 12 Y.A. Khulief and H. Al-Naser Abstract	70-1288	
2.	Non-linear control of torsional and bending vibrations of oilwell drillstrings • Journal of Sound and Vibration, Volume 265, Issue 2, 7 August 2003, Pages 401-4 S. A. Al-Hiddabi, B. Samanta and A. Seibi Abstract		
3.	Survival assessment of die-marked drill pipes:: integrated static and fatigue at Engineering Failure Analysis, Volume 6, Issue 5, October 1999, Pages 277-299 M. K. Rahman, M. M. Hossain and S. S. Rahman Abstract	nalysis • ART	ICLE
4.	Stress concentration incorporated fatigue analysis of die-marked drill pipes • International Journal of Fatigue, Volume 21, Issue 8, September 1999, Pages 799-M. K. Rahman, M. M. Hossain and S. S. Rahman Abstract		
5.	The effectiveness of stress relief features in austenitic drillcollar connections • Engineering Failure Analysis, Volume 3, Issue 4, December 1996, Pages 267-279 K. A. Macdonald Abstract	ARTICLE	
6.	Failure analysis of drillstring and bottom hole assembly components • ARTICL Engineering Failure Analysis, Volume 1, Issue 2, June 1994, Pages 91-117 K. A. MacDonald Abstract	Æ	

6 Articles Found

pub-date > 1989 and drill pipe and wellbore and fatigue

Edit Search | Save Search | Save as Search Alert

SCIENCE DIRECT	Register or Login: user name Passy	word: Go Athens/Institution Login
Home Search Journals Books A	hstract Databases My Profile Ale	erts (1) Help
Quick Search:	within All Full-text Sources 💌 🙃 🕜	Search Tips
Engineering Failure Analysis Volume 6, Issue 5 , October 1999, Page	·	results list
doi:10.1016/S1350-6307(98)00052-1		This Document Abstract
Survival assessment of die	-marked drill pipes:»	External Links Abstract + References in Scopus
integrated static and «fatio	ne analysis	Actions

M. K. Rahman¹, **, M. M. Hossain¹ and S. S. Rahman¹

¹ School of Petroleum Engineering, University of New South Wales, Sydney 2052, Australia

- Cited By
- · Save as Citation Alert
- E-mail Article
- Export Citation

Received 23 October 1998; accepted 9 November 1998. Available online 25 October 1999.

Abstract

Drill pipes under operational loads may fail in static or *fatigue* mode. Static failures are evaluated at two critical levels: the rotary table level (surface level) and the dogleg level, whereas fatigue failure occurs in a pipe section at the dogleg level due to the cumulative effect of *fatigue* damage in a number of drilling events. The current practice of static and *fatigue* failure analyses is based on a smooth pipe surface condition. In practice, however, dies of gripping systems mark the pipe surface during making and breaking operations (screwed and unscrewed to connect and disconnect two pipes). These marks on the pipe surface cause stress concentrations, which make a pipe more susceptible to both failure modes. This paper presents an integrated approach for static and fatigue failure analysis, considering the effects of stress concentrations due to die-marks from different gripping systems. Thus, the approach is intended to assist engineers in assessing the overall survivability of drill pipes through a detailed failure evaluation considering the effect of die-mark related stress concentrations in representative field conditions.

Author Keywords: «Drill pipe»; Die-marks; Stress concentrations; Static failure; «Fatigue» failure

^{*}Corresponding author. Tel.: 0061 2 9385 5936; fax: 0061 2 9385 5182; e-mail: mk.rahman@unsw.edu.au

C	7	Pro Quest [®]				Return to the U	JSPTO NPL Page	<u>Help</u>				
8	sic	Advanced Topics Public	alions 0	My Research marked items		ممو	iterface language: English	*				
<u>Databases selected:</u> Multiple databases												
Res	sul	ts										
8 do	cun	nents found for: (drillstring or drill string)	and fatigue	Set up Alert Al	<u>bout</u>			-				
(All s	sour	ces <u>Magazines</u> <u>Newspapers</u> <u>Dis</u>	sertations									
П	Ма	k all 💯 0 marked items: Email / Cite	/ Export	Show only	full text	Sort results by	Most recent first					
	1.	T H Hill and Paradigm Partner to Oft PR Newswire. New York: Sep 13, 200		vations in Well	Plan Optimiza	<u>ition</u>						
		Full text			[™] Abstract							
	2.	Grant Prideco, RTI Energy Systems Titanium Drill Pipe PR Newswire. New York: Oct 11, 199		ng Services An	nounce World	l's First Comn	nercial Applicatio	n of				
		Full text			Abstract							
	3.	Model predicts drill pipe fatigue in h Wu, Jiang. Oil & Gas Journal. Tulsa:			47 (5 pages)							
		2 Page Image - PDF			Abstract							
	4.	Improving operational procedures of Payne, Michael L, Leturno, Richard E, pages)				lov 28, 1994. V	/ol. 92, Iss. 48; p. 6	8 (7				
		Full text	🗓 Page Image	- PDF	th <u>Abstract</u>							
	5.	Drillstring vibration measurements Rappold, Keith. Oil & Gas Journal. To			9; p. 66 (5 page	es)						
		Full text	🔊 <u>Page Image</u>	- PDF	^{tal} <u>Abstract</u>							
	6.	<u>Drilling dynamics - 1: Drilling optime</u> Rappold, Keith. Oil & Gas Journal. To	i <mark>zed with surf</mark> a ılsa: Feb 15, 19	ace measureme 993. Vol. 91, Iss.	nt of downhol 7; p. 58 (4 pag	le vibrations ges)						
		Full text	Page Image	- PDF	Abstract							
	7.	Drill Pipe Management Extends Drill Shepard, Jeff S.: Oil & Gas Journal.		991. Vol. 89, lss	s. 43; p. 46 (5 p	pages)						
		🔁 <u>Page Image - PDF</u>			<u>Abstract</u>		,					
	8.	TECHNOLOGY; THEY PLUMB THE I BENEATH ATLANTIC; OUT ON THE AN OCEAN EXPLORER, NO SIGNPO ANCHOR.	ATLANTIC FA OSTS, NO BUC	AR OFF NEW JE DYS - CERTAINI	RSEY THERE LY NO "X" TO	ARE NO LAN	IDMARKS TO GUI	DE;				
		Jerry Ackerman Globe Staff. Boston G	Globe (pre-199	·	•							
		EE FUILLEX!		<u> </u>	Abstract							
1-8 o	i g											

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, September 28, 2005

Hide?	Set Nam	<u>e Query</u>	Hit Count
	DB=PG	PB,USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
	L6	L5 and (pipe with fatigue)	25
	L5	((drill and (rig or bit or pipe)) same fatigue) and wellbore	65
	L4	L3 and ((drillstring? or drill string?) same fatigue)	13
	L3	L2 and (well or wellbore)	98
	L2	(drillstring? or drill string?) and fatigue	100
	L1	hill.in. and (drill string? or drillstring?)	2

END OF SEARCH HISTORY

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

1. Document ID: US 20040221985 A1

Using default format because multiple data bases are involved.

L1: Entry 1 of 2

File: PGPB

Nov 11, 2004

PGPUB-DOCUMENT-NUMBER: 20040221985

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040221985 A1

TITLE: Drill string design methodology for mitigating fatigue failure

PUBLICATION-DATE: November 11, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Hill, Tom H. Houston TX US Ellis, Sean E. Houston US Reynolds, Nicholas M. Houston TX US Zheng, Nanjiu Sugar Land TXUS

US-CL-CURRENT: <u>166/250.01</u>

Full Title Citation Front Review Classification Date Reference Sequences Atta	tachments Claims KWC Draw Desc Image

2. Document ID: US 4965937 A

L1: Entry 2 of 2 File: USPT Oct 30, 1990

US-PAT-NO: 4965937

DOCUMENT-IDENTIFIER: US 4965937 A

TITLE: Tool joint gauge

DATE-ISSUED: October 30, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hill; Tom H. Houston TX 77070

US-CL-CURRENT: 33/199R; 33/795, 33/829

Full Title | Citation | Front | Review | Classification | Date | Reference | Claims | Claims | KMC | Draw Desc | Image |

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Search Results - Record(s) 1 through 13 of 13 returned.

1. Document ID: US 20050067168 A1

Using default format because multiple data bases are involved.

L4: Entry 1 of 13

File: PGPB

COUNTRY

Mar 31, 2005

RULE-47

PGPUB-DOCUMENT-NUMBER: 20050067168

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050067168 A1

TITLE: Method and apparatus for controlling the ascent and descent of pipe in a well bore

PUBLICATION-DATE: March 31, 2005

INVENTOR-INFORMATION:

NAME CITY STATE

Baird, Jeffery D. Breckenridge TX US

US-CL-CURRENT: 166/380; 166/382

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Desc Image

2. Document ID: US 20040221985 A1

L4: Entry 2 of 13 File: PGPB Nov 11, 2004

PGPUB-DOCUMENT-NUMBER: 20040221985

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040221985 A1

TITLE: Drill string design methodology for mitigating fatigue failure

PUBLICATION-DATE: November 11, 2004

INVENTOR-INFORMATION:

CITY COUNTRY RULE-47 NAME STATE Hill, Tom H. US Houston TX Ellis, Sean E. Houston ΤX US Reynolds, Nicholas M. ΤX US Houston Zheng, Nanjiu Sugar Land ΤX US

US-CL-CURRENT: 166/250.01

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw Desc Image

3. Document ID: US 20040025595 A1

L4: Entry 3 of 13

File: PGPB

Feb 12, 2004

Nov 21, 2002

PGPUB-DOCUMENT-NUMBER: 20040025595

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040025595 A1

TITLE: Method and apparatus for monitoring structural fatigue and use

PUBLICATION-DATE: February 12, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Brennan, Feargal Peter London GB

US-CL-CURRENT: <u>73/787</u>

Full Title Citation	Front Review (Classification Date Reference	Sequences Attachment	S Claims KMC Draw Desc	Image
	········		•	•	

4. Document ID: US 20020170792 A1

L4: Entry 4 of 13 File: PGPB

PGPUB-DOCUMENT-NUMBER: 20020170792

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020170792 A1

TITLE: Cable stay damper band and method of use for reduction of fluid induced cable vibrations

PUBLICATION-DATE: November 21, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Phelan, R. Scott	Lubbock	TX	US	
Sarkar, Partha P.	Ames	IA	US	
Mehta, Kishor C.	Lubbock	TX	US	
Gardner, Thomas B.	Baltimore	MD	US	
Zhao, Zhongshan	Katy	TX	US	

US-CL-CURRENT: <u>188/378</u>

Full Title Cita	ation Front Review	Classification [Date Reference	Sequences	Attachments	Claims	KMC	Draini Desc Im:	age
	-								

5. Document ID: US 6928881 B2

L4: Entry 5 of 13 File: USPT Aug 16, 2005

US-PAT-NO: 6928881

Record List Display Page 3 of 7

DOCUMENT-IDENTIFIER: US 6928881 B2

TITLE: Method and apparatus for monitoring structural fatigue and use

DATE-ISSUED: August 16, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Brennan; Feargal Peter London GB

US-CL-CURRENT: 73/766; 73/786

4000000	Ful		Title	Citation	Fre	ont	Review	Classific	ation	Date	Reference			C	laims	KWIC	Dra	vi Desc	Uma	ige
,,,,,,	,,,,,,,,,	*******	,,,,,,,,,	•••••			***************************************			************		 	•••••				*****			
	-	_	_				a -=													

6. Document ID: US 6705440 B2

L4: Entry 6 of 13

File: USPT

Mar 16, 2004

US-PAT-NO: 6705440

DOCUMENT-IDENTIFIER: US 6705440 B2

TITLE: Cable stay damper band and method of use for reduction of fluid induced cable vibrations

DATE-ISSUED: March 16, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Phelan; R. Scott Lubbock TX

Sarkar; Partha P. Ames IA
Mehta; Kishor C. Lubbock TX
Gardner; Thomas B. Baltimore MD
Zhao; Zongshan Katy TX

US-CL-CURRENT: <u>188/378</u>; <u>174/42</u>, <u>188/267.1</u>, <u>188/268</u>, <u>188/381</u>, <u>267/136</u>

7. Document ID: US 6386526 B1

L4: Entry 7 of 13 File: USPT May 14, 2002

US-PAT-NO: 6386526

DOCUMENT-IDENTIFIER: US 6386526 B1

** See image for <u>Certificate of Correction</u> **

TITLE: Cable stay aerodynamic damper band and method of use

DATE-ISSUED: May 14, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Sarkar; Partha P. Ames IA
Phelan; R. Scott Lubbock TX
Mehta; Kishor C. Lubbock TX
Gardner; Thomas B. Lubbock TX
Zhao; Zhongshan Lubbock TX

US-CL-CURRENT: 267/136; 174/40R, 174/42, 267/140.3, 267/153

Full Title Citation Front Review Classification Date Reference Communication Date Reference Communication Date

8. Document ID: US 5973317 A

L4: Entry 8 of 13

File: USPT

Oct 26, 1999

US-PAT-NO: 5973317

DOCUMENT-IDENTIFIER: US 5973317 A

** See image for Certificate of Correction **

TITLE: Washer having fiber optic Bragg Grating sensors for sensing a shoulder load between

components in a drill string

DATE-ISSUED: October 26, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hay; Arthur D. Cheshire CT

US-CL-CURRENT: <u>250/227.14</u>; <u>250/227.18</u>, <u>250/227.19</u>, <u>250/227.23</u>, <u>356/478</u>, <u>385/12</u>, <u>73/800</u>

Full Title Citation Front Review Classification Date Reference

9. Document ID: US 4691791 A

L4: Entry 9 of 13 File: USPT Sep 8, 1987

US-PAT-NO: 4691791

DOCUMENT-IDENTIFIER: US 4691791 A

TITLE: Knurled drill stem

DATE-ISSUED: September 8, 1987

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Fillet; Pierre R. Paris FR

US-CL-CURRENT: <u>175/320</u>; <u>285/123.5</u>, <u>403/369</u>

☐ 10. Document ID: US 4337088 A

L4: Entry 10 of 13

File: USPT

Title Citation Front Review Classification Date Reference Claims KWC Draws Desc Image

Jun 29, 1982

US-PAT-NO: 4337088

DOCUMENT-IDENTIFIER: US 4337088 A

TITLE: Non-magnetic stabilizer

DATE-ISSUED: June 29, 1982

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Moses, Jr.; Edward L. Houston TX 77056

US-CL-CURRENT: 420/44; 420/47

Full Title Citation Front Review Classification Date Reference

11. Document ID: US RE29166 E

L4: Entry 11 of 13

File: USPT

Mar 29, 1977

US-PAT-NO: RE29166

DOCUMENT-IDENTIFIER: US RE29166 E

TITLE: Magnetic flaw detector system for reciprocating pairs of leakage field detectors with

means for adjusting the spacing between each pair of detectors

DATE-ISSUED: March 29, 1977

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Forster; Friedrich M. O. D-7410 Reutlingen 1 DT

US-CL-CURRENT: 324/205; 324/241

Full Title Citation Front Review Classification Date Reference Claims KWC Draw. Desc Image

12. Document ID: US 4007797 A

L4: Entry 12 of 13

File: USPT

Feb 15, 1977

US-PAT-NO: 4007797

DOCUMENT-IDENTIFIER: US 4007797 A

TITLE: Device for drilling a hole in the side wall of a bore hole

DATE-ISSUED: February 15, 1977


INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Jeter; John D.

Iowa Park TX

US-CL-CURRENT: <u>175/26</u>; <u>173/149</u>, <u>175/61</u>, <u>175/81</u>



L4: Entry 13 of 13

File: USPT

Jul 3, 1973

Claims KWC Draw Desc Image

US-PAT-NO: 3743928

DOCUMENT-IDENTIFIER: US 3743928 A

TITLE: MAGNETIC FLAW DETECTOR SYSTEM FOR RECIPROCATING PAIRS OF LEAKAGE FIELD DETECTORS WITH

MEANS FOR ADJUSTING THE SPACING BETWEEN EACH PAIR OF DETECTORS

Full Title Citation Front Review Classification Date Reference

DATE-ISSUED: July 3, 1973

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Forster; Friedrich M. O. D-741 Reutlingen DT

US-CL-CURRENT: 324/235

Term	Documents
DRILL	77669
DRILLS	16679
FATIGUE	79690
FATIGUES	1008
DRILLSTRING?	0
DRILLSTRINGS	69
STRING?	0
STRINGA	47
STRINGB	6
STRINGC	2
STRINGD	1

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Search Results - Record(s) 1 through 20 of 25 returned.

1. Document ID: US 20050126826 A1

Using default format because multiple data bases are involved.

L6: Entry 1 of 25

File: PGPB

Jun 16, 2005

PGPUB-DOCUMENT-NUMBER: 20050126826

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050126826 A1

TITLE: Directional casing and liner drilling with mud motor

PUBLICATION-DATE: June 16, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Moriarty, Keith Alan Houston TX US

Johnson, Michael Robert Sugar Land TX US

US-CL-CURRENT: <u>175</u>/61; 175/107, 175/73

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw Desc Image

2. Document ID: US 20040221985 A1

L6: Entry 2 of 25 File: PGPB Nov 11, 2004

PGPUB-DOCUMENT-NUMBER: 20040221985

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040221985 A1

TITLE: Drill string design methodology for mitigating fatique failure

PUBLICATION-DATE: November 11, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Hill, Tom H. Houston TX US Ellis, Sean E. Houston TX US Reynolds, Nicholas M. Houston TXUS Zheng, Nanjiu Sugar Land ТX US

US-CL-CURRENT: 166/250.01

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Desc Image

3. Document ID: US 20040104821 A1

L6: Entry 3 of 25

File: PGPB

Jun 3, 2004

PGPUB-DOCUMENT-NUMBER: 20040104821

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040104821 A1

TITLE: RETRIEVABLE SUBSURFACE NUCLEAR LOGGING SYSTEM

PUBLICATION-DATE: June 3, 2004

INVENTOR-INFORMATION:

NUMBER

NAME CITY

STATE

COUNTRY

RULE-47

CLARK, BRIAN

SUGAR LAND

TX

US

US-CL-CURRENT: 340/854.6

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Desc Image

4. Document ID: US 20040099420 A1

L6: Entry 4 of 25

File: PGPB

May 27, 2004

PGPUB-DOCUMENT-NUMBER: 20040099420

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040099420 A1

TITLE: Subsea connection apparatus for a surface blowout preventer stack

PUBLICATION-DATE: May 27, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Kotrla, Johnnie E.

Katy

TX

US

Johnson, Joe S.

Houston

TX

US

US-CL-CURRENT: 166/345; 166/360, 166/368

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Desc Image

5. Document ID: US 20040065475 A1

L6: Entry 5 of 25

File: PGPB

Apr 8, 2004

PGPUB-DOCUMENT-NUMBER: 20040065475

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040065475 A1

TITLE: Method and apparatus for riserless drilling

PUBLICATION-DATE: April 8, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Laursen, Patrick Emmett Sugar Land TX US Mungall, John Christian Hartley Houston TX US

US-CL-CURRENT: 175/7; 166/358

Full Title Citation Front	Review Classification	Date Reference	Sequences	Attachments Claims	KNMC Drawn Desc Image

6. Document ID: US 20030141872 A1

L6: Entry 6 of 25 File: PGPB Jul 31, 2003

PGPUB-DOCUMENT-NUMBER: 20030141872

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030141872 A1

TITLE: Methods for sealing openings in tubulars

PUBLICATION-DATE: July 31, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Clark, Brian	Sugar Land	TX	US	
Hunka, John	Sugar Land	TX	US	
Frey, Mark T.	Sugar Land	TX	US	
Smith, David L.	Stafford	TX	US	
Ramaswamy, Dhananjay	Stafford	TX	US	
Collins, Anthony	Houston	TX	US	
Bonner, Stephen	Sugar Landq	TX	US	

US-CL-CURRENT: 324/339; 340/854.6

Full	litle Citation From	nt Review	Classification	Date	Reference	Sequences	Attachments	Claims	KOMC	Drawi Desc	Image
			,								
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,							·····
5 7.	Document ID:	US 20030	0137429 A	i							

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20030137429

PGPUB-FILING-TYPE: new

L6: Entry 7 of 25

DOCUMENT-IDENTIFIER: US 20030137429 A1

TITLE: Downhole tubular with openings for signal passage

PUBLICATION-DATE: July 24, 2003

Jul 24, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Clark, Brian	Sugar Land	TX	US	
Hunka, John	Sugar Land	TX	US	
Frey, Mark T.	Sugar Land	TX	US	
Smith, David L.	Stafford	TX	US	
Ramaswamy, Dhananjay	Stafford	TX	US	
Collins, Anthony	Houston	TX	US	
Bonner, Stephen	Sugar Land	TX	US	

US-CL-CURRENT: 340/854.5; 340/854.6

Full Title	Citation	Front	Review	Classification	Date	Reference Sequences	Attachments	Claims	KVMC	Draw Desc	Image

8. Document ID: US 20030137302 A1

L6: Entry 8 of 25

File: PGPB

Jul 24, 2003

PGPUB-DOCUMENT-NUMBER: 20030137302

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030137302 A1

TITLE: Inductively-coupled system for receiving a run-in tool

PUBLICATION-DATE: July 24, 2003

INVENTOR-INFORMATION:

MAME	CITY	STATE	COUNTRY	RULE-47
Clark, Brian	Sugar Land	TX	US	
Hunka, John	Sugar Land	TX	US	
Frey, Mark T.	Sugar Land	TX	US	
Smith, David L.	Stafford	TX	US	
Ramaswamy, Dhananjay	Stafford	TX	US	
Collins, Anthony	Houston	ТX	US	
Bonner, Stephen	Sugar Land	TX	US	

US-CL-CURRENT: 324/339; 340/854.6

Full Title Citation	Front Review	Classification	Date Re	eference S	Sequences	Attachments	Claims	KMC	Drawt Desc	Image

9. Document ID: US 20030127252 A1

L6: Entry 9 of 25 File: PGPB Jul 10, 2003

PGPUB-DOCUMENT-NUMBER: 20030127252 PGPUB-FILING-TYPE: new-utility

DOCUMENT-IDENTIFIER: US 20030127252 A1

TITLE: Motor Driven Hybrid Rotary Steerable System

Record List Display Page 5 of 10

PUBLICATION-DATE: July 10, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Downton , Geoff Minchinhampton TX GB
Hart , Steven James Bath GB
Rowatt , John David Richmond US

US-CL-CURRENT: 175/73; 175/76

Full Title	Citation F	ront	Review	Classification	Date	Reference	Sequences	Attachments Claims	KMAC	Draw Desc	Image
	-						,				

10. Document ID: US 20030056984 A1

L6: Entry 10 of 25 File: PGPB Mar 27, 2003

PGPUB-DOCUMENT-NUMBER: 20030056984 PGPUB-FILING-TYPE: new-utility

DOCUMENT-IDENTIFIER: US 20030056984 A1

TITLE: LOGGING WHILE TRIPPING WITH A MODIFIED TUBULAR

PUBLICATION-DATE: March 27, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Smith , David L. Stafford TX US Frey , Mark T. Sugar Land TX US

US-CL-CURRENT: <u>175/40</u>; <u>166/250.01</u>, <u>166/381</u>, <u>166/66</u>

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KMC | Draw Desc | Image |

11. Document ID: US 20020057210 A1

L6: Entry 11 of 25 File: PGPB May 16, 2002

PGPUB-DOCUMENT-NUMBER: 20020057210

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020057210 A1

TITLE: Modified tubular equipped with a tilted or transverse magnetic dipole for downhole

logging

PUBLICATION-DATE: May 16, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Frey, Mark T. Sugar Land TX US Omeragic, Dzevat Sugar Land TX US

Tabanou, Jacques R.

Houston

ΤX

US

US-CL-CURRENT: 340/854.3; 340/854.4

Full Title Citation Front	Review Classification	Date Reference S	equences Att	tachments Claims	KMC Draw Dese Image

12. Document ID: US 6903660 B2

L6: Entry 12 of 25

File: USPT

Jun 7, 2005

US-PAT-NO: 6903660

DOCUMENT-IDENTIFIER: US 6903660 B2

TITLE: Inductively-coupled system for receiving a run-in tool

DATE-ISSUED: June 7, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Clark; Brian Sugar Land TX Hunka; John Sugar Land TX Frey; Mark T. Sugar Land TXSmith; David L. Stafford TX Ramaswamy; Dhananjay Stafford TX Collins; Anthony Houston ΤX Bonner; Stephen Sugar Land TX

US-CL-CURRENT: 340/854.8; 166/381, 324/333, 324/339, 340/854.6

Full Title Citation Front	Review Classification	Date Reference	Claims	KMC Draw Desc Image

13. Document ID: US 6885308 B2

L6: Entry 13 of 25 File: USPT Apr 26, 2005

US-PAT-NO: 6885308

DOCUMENT-IDENTIFIER: US 6885308 B2

TITLE: Logging while tripping with a modified tubular

DATE-ISSUED: April 26, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Smith; David L. Stafford TX Frey; Mark T. Sugar Land TX

US-CL-CURRENT: 340/854.6; 324/339, 324/369, 340/853.2, 340/854.4

Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image

14. Document ID: US 6836218 B2

L6: Entry 14 of 25

File: USPT

Dec 28, 2004

US-PAT-NO: 6836218

DOCUMENT-IDENTIFIER: US 6836218 B2

TITLE: Modified tubular equipped with a tilted or transverse magnetic dipole for downhole

logging

DATE-ISSUED: December 28, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Frey; Mark T. Sugar Land TX
Omeragic; Dzevat Sugar Land TX
Tabanou; Jacques R. Houston TX

US-CL-CURRENT: <u>340/854.6</u>; <u>324/338</u>, <u>324/339</u>

Eull Title Citation Front Review Classification Date Reference Claims KMC Draw. Desc Image

15. Document ID: US 6577244 B1

L6: Entry 15 of 25 File: USPT Jun 10, 2003

US-PAT-NO: 6577244

DOCUMENT-IDENTIFIER: US 6577244 B1

TITLE: Method and apparatus for downhole signal communication and measurement through a metal

tubular

DATE-ISSUED: June 10, 2003

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Clark; Brian Sugar Land TXHunka; John Sugar Land TX Frey; Mark T. Sugar Land ΤX Smith; David L. Stafford ТX Ramaswamy; Dhananjay Stafford ΤX Collins; Anthony Houston TXBonner; Stephen Sugar Land TX

US-CL-CURRENT: 340/854.6; 324/339, 324/369, 340/853.2, 340/854.4

Full Title Citation Front Review Classification Date Reference Claims KMC Drawl Desc Image

16. Document ID: US 6318480 B1

L6: Entry 16 of 25

File: USPT

Nov 20, 2001

US-PAT-NO: 6318480

DOCUMENT-IDENTIFIER: US 6318480 B1

TITLE: Drilling of laterals from a wellbore

DATE-ISSUED: November 20, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Hearn; David D.

Anchorage

ΑK

US-CL-CURRENT: <u>175/61</u>; <u>175/73</u>

Full Title Citation Front Review Classifica	ion Date Reference Chairms KMC Drawl Desc Image

17. Document ID: US 6041872 A

L6: Entry 17 of 25

File: USPT

Mar 28, 2000

US-PAT-NO: 6041872

DOCUMENT-IDENTIFIER: US 6041872 A

TITLE: Disposable telemetry cable deployment system

DATE-ISSUED: March 28, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Holcomb; David Joseph

Sandia Park

NM

US-CL-CURRENT: 175/40; 340/854.7, 340/854.9

Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image

18. Document ID: US 5507353 A

L6: Entry 18 of 25

File: USPT

Apr 16, 1996

US-PAT-NO: 5507353

DOCUMENT-IDENTIFIER: US 5507353 A

TITLE: Method and system for controlling the rotary speed stability of a drill bit

DATE-ISSUED: April 16, 1996

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Pavone; Didier Eaubonne FR

US-CL-CURRENT: 175/27; 175/26, 175/40

Full Title Citation Front Review Classification Date Reference Claims KMC Dravi Desc Image

19. Document ID: US 5355968 A

L6: Entry 19 of 25 File: USPT Oct 18, 1994

US-PAT-NO: 5355968

DOCUMENT-IDENTIFIER: US 5355968 A

** See image for Certificate of Correction **

TITLE: Tool joint stress relief groove

DATE-ISSUED: October 18, 1994

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Smith; Jackie E. Houston TX

US-CL-CURRENT: 175/320; 285/114

20. Document ID: US 5337839 A

L6: Entry 20 of 25 File: USPT Aug 16, 1994

US-PAT-NO: 5337839

DOCUMENT-IDENTIFIER: US 5337839 A

** See image for <u>Certificate of Correction</u> **

TITLE: Extending the lateral portion of a short-radius wellbore

DATE-ISSUED: August 16, 1994

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Warren; Tommy M. Coweta OK Winters; Warren J. Tulsa OK

US-CL-CURRENT: <u>175/62</u>; <u>175/73</u>

Full Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |